

GATECHNOLOGYIDRAWINGSID C IIPIPATENT APPLICATIONIAUG 20 UPDATESIFIGURE 1 6Mg, 09/26/2001 11 28/27 AM






FIG. 2a


GITECHNOLOGYIDRAWINGSID C IIPIPATENT APPLICATIONIAUG 20 UPDATESIFIGURE 28 DWG, 09/26/2001 11:29:28 AM



GATECHNOLOGYIDRAWINGSID C IPPPATENT APPLICATIONIAUG 20 UPDATESIFIGURE 25 DWG, 09/28/2001 11 29:07 AM



GATECHNOLOGYIDRAWINGSID C IIPPATENT APPLICATIONIAUG 20 UPDATESIFIGURE 3a dwg 09/26/2001 11 28.48 AM



GATECHNOLOGYIDRAWINGSID C IIPIPATENT APPLICATIONIAUG 20 UPDATESIFIGURE 36 6wg, 09/26/2001 11 29.46 AM

Comparison of H2 generation: when substrate is NaBH4 or a mix of NaBH4 and LiBH4






Fig #

Freezing Point vs %Glycerol



F1945

Freezing Point Study of Different Mixtures Glycerols with Sodium borohydride Solution



TAME Fig. 6

